

 $Declaration \ of \ performance \ N.$ 

Seves S.p.A.

CPR-IT-091/2013

Via R. Giuliani, 360 - 50141 Firenze - Italia T +39 055 449 51 - F +39 055 455 295

## Declaration of Performance

1- Unique identification code of the pr	roduct-type:
	WELDED GLASS BLOCK
2- Type, batch or serial number or any under Article 11(4) of the CPR:	y other element identification of the costruction product as required
	Neutro TER Lineare O #
3- Intended use or uses of the costruct as foreseen by the manufacturer:	tion product, in accordance with the applicable harmonised technical specification,
	Glass blocks, intended to be used in buildings and construction works
4- Name, registered trade name or reg	ristered trade mark and contact address of the manufacturer as required under Article 11(5):
	Seves S.p.a. Via R.Giuliani, 360 50141 – Firenze (Italia)
5- Where applicable, name and conta specified in Article 12(2):	ct address of the authorised representative whose mandate covers the tasks
• •	Not applicable
6- System or systems of assessment an	d verification of constancy of performance of the costruction product as set out in Annex $V$ :
	System 4
7- In case of the declaration of perform	mance concerning a costruction product covered by a harmonised standard:
conformity with standard stated by h The contruction product is safe when	for costruction product N. 305/2011, Seves S.P.A. declares that the costruction product is in armonised norm UNI EN ISO 1051-1.  used as stated in point 3.  formed according to UNI EN ISO 1051-2.
CERTIFICAZIONE DI QUALITÀ IND 9001	Sade legale:  Va Regrendo Cublusi, 350 - 50141 Fierza - Italia  Va Regrendo e P. NA CADI S00343  Sold More Freyon Cubl 1800343  Sold Sold Sold Sold Sold Sold Sold Sold



Seves S.p.A.

Via R. Giuliani, 360 - 50141 Firenze - Itali T +39 055 449 51 - F +39 055 455 295

## 8- Declared performance:

		HARMONIZED	
ESSENTIAL CHARACTERISTICS	PERFORMANCE	TECHINACAL	
		SPECIFICATION	
Reaction to fire	A1	EN 13501-1	
Bullet resistance	NPD	EN 1063	
Explosion resistance	NPD	EN 13541	
Burglar resistance	NPD	EN 356	
Resistance against sudden temperature changes and temperature differentials (residual stress)	30 K	EN 1051-2	
Wind, snow, permanent and imposed load resistance (compressive stress)	7 N/mm2	EN 1051-1	
Direct airborne sound insulation	NPD	EN 10140-2; EN 717-1	
Thermal properties	NPD	EN 673	
Radiation properties:			
light transmittance and light reflectance	0,795/0,142	EN 410	
solar transmittance and solar reflectance	0,760/0,136	EN 410	

9- The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsability of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Claudio Frediani - Plant Manager (name and function)

Florence , 01/07/2013 (place and date of issue )

(signature)