

 $Declaration \ of \ performance \ N.$

Seves S.p.A.

CPR-IT-256/2013

Via R. Giuliani, 360 - 50141 Firenze - Ita T +39 055 449 51 - F +39 055 455 295

Declaration of Performance

1- Unique identification code of the product-type:	
	WELDED GLASS BLOCK
2- Type, batch or serial number or any other element id under Article 11(4) of the CPR:	lentification of the costruction product as required
	TORMALINA Q19 T MET
3- Intended use or uses of the costruction product, in ac as foreseen by the manufacturer:	ccordance with the applicable harmonised technical specification,
Glass blocks, inte	ended to be used in buildings and construction works
4- Name, registered trade name or registered trade mar	k and contact address of the manufacturer as required under Article 11(5):
	Seves S.p.a. Via R.Giuliani, 360 50141 – Firenze (Italia)
5- Where applicable, name and contact address of the a specified in Article 12(2):	authorised representative whose mandate covers the tasks
	Not applicable
6- System or systems of assessment and verification of c	constancy of performance of the costruction product as set out in Annex V:
	System 4
7- In case of the declaration of performance concerning	g a costruction product covered by a harmonised standard:
According to European commission for costruction pr conformity with standard stated by harmonised norm The contruction product is safe when used as stated in The evaluation of conformity was performed accordin	point 3.
CERTIFICAZIONE DI QUALITÀ ISO 9901	Sede legale: Via Repraddo Gullani, 360 - 50141 Firenze - Italia Codor Rocale e P. MVA CAUT 800343 Reig Imprese Princes 02(4) 1000443



Seves S.p.A.

Via R. Giuliani, 360 - 50141 Firenze - Itali T +39 055 449 51 - F +39 055 455 295

8- Declared performance:

ESSENTIAL CHARACTERISTICS	PERFORMANCE	HARMONIZED
		TECHINACAL SPECIFICATION
Reaction to fire	A1	EN 13501-1
Bullet resistance	NPD	EN 1063
Explosion resistance	NPD	EN 13541
Burglar resistance	NPD	EN 356
Resistance against sudden temperature changes and temperature differentials (residual stress)	30 K	EN 1051-2
Wind, snow, permanent and imposed load resistance (compressive stress)	7 N/mm2	EN 1051-1
Direct airborne sound insulation	39 -2-3 dB	EN 10140-2; EN 717-1
Thermal properties	2,57 W/m2K	EN 673
Radiation properties:		
light transmittance and light reflectance	0,462/0,082	EN 410
solar transmittance and solar reflectance	NPD	EN 410

 $9-\ \ The\ performance\ of\ the\ product\ identified\ in\ points\ 1\ and\ 2\ is\ in\ conformity\ with\ the\ declared\ performance\ in\ point\ 8.$

This declaration of performance is issued under the sole responsability of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Claudio Frediani - Plant Manager (name and function)

Florence , 01/07/2013 (place and date of issue)

(signature)